


ECO VISTA™ POST SYSTEM


DESIGN + ENGINEER + FABRICATE + INSTALL

Our ECO Railing System is a fresh departure from the standard, bulky curtain wall aluminum railing systems currently on the market. The ECO line provides economically-conscious railing systems, while maintaining VIVA's commitment to making high quality products.


The ECO VISTA Aluminum Railing System is ideally suited for high-end multi-family residential applications.



TR - 1



TR - 2



TR - 3

Other mounting options available.



ECO VISTA- TECHNICAL DATA

DESIGN + ENGINEER + FABRICATE + INSTALL


	MATERIAL	FINISH	SIZE/SPACING
BASE	Aluminum	Powder Coat - Super Polyester (AAMA 2604) - \$ ¹ Powder Coat - PVDF (AAMA 2605) - \$\$	2.5"x1.1" rectangular section for fascia mounted post, and T section for top or core mounted post, @ 4'-0" MAX. O.C.
INFILL OPTIONS	Glass	Clear, Tinted or Frit	3/8" laminated glass with PVB or SGP interlayer ² Interlayer standard thickness, SGP: 0.035" , 0.06" PVB: 0.035
TOP RAIL	Aluminum	Powder Coat - Super Polyester (AAMA 2604) - \$ Powder Coat - PVDF (AAMA 2605) - \$\$	Top rail options: -Rectangular 3.2"x1.1" (TR1) -Rectangular 4.3"x1.2" (TR2) -Oval 3.5"x1.9" (TR3)

¹ \$ to \$\$\$: Indicates finish type comparative cost.


² IBC 2015 & newer requires railing glass to be laminated. VIVA recommends SGP for exterior applications.

ECO VISTA_{GLASS INFILL}


DESIGN + ENGINEER + FABRICATE + INSTALL



TR1




TR2




TR3


AVAILABLE GLASS TYPES:



Clear Monolithic




Clear Laminated (PVB or SGP)




Bent



Tinted





Satin Etched



Ceramic Frit




Colored Laminate (PVB only)



TR1



TR2




TR3

VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS HAS NO WAY OF KNOWING AND SPECIFICALLY DISCLAIMS WHETHER OR NOT THE BUILDING SYSTEMS TO WHICH VIVA RAILINGS' PRODUCTS ARE TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE SOLE USE OF VIVA RAILINGS' CUSTOMER AND THEIR AGENTS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY CONTAINED WITHIN. REPRODUCTION AND USE OF THESE DESIGNS FOR ANY OTHER PURPOSE IS FORBIDDEN. SCALES ARE PROVIDED FOR REFERENCE ONLY. FOR PRODUCT INFORMATION AND TECHNICAL SUPPORT, PLEASE CONTACT VIVA RAILINGS.


ECO VISTA[®] MOUNTING OPTIONS

DESIGN + ENGINEER + FABRICATE + INSTALL




Anchored to Concrete ¹ - \$ ²

Detail# EV-T01




Grout set in leave-outs ³ - \$

Detail# EV-T02




Anchored to Concrete Slab on Deck - \$\$

Detail# EV-T05



Anchored to Channel - \$\$

Detail# EV-F01



Fascia Glass Cover
Anchored to Channel - \$\$\$

Detail# EV-F02

(1) Min. 4000 PSI concrete, Typ.

(2) \$ to \$\$\$: Indicates mounting type comparative cost

(3) Recommended for high-rise

VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS HAS NO WAY OF KNOWING AND SPECIFICALLY DISCLAIMS WHETHER OR NOT THE BUILDING SYSTEMS TO WHICH VIVA RAILINGS' PRODUCTS ARE TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE SOLE USE OF VIVA RAILINGS' CUSTOMER AND THEIR AGENTS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY CONTAINED WITHIN. REPRODUCTION AND USE OF THESE DESIGNS FOR ANY OTHER PURPOSE IS FORBIDDEN. SCALES ARE PROVIDED FOR REFERENCE ONLY. FOR PRODUCT INFORMATION AND TECHNICAL SUPPORT, PLEASE CONTACT VIVA RAILINGS.

ECO VISTA- MOUNTING OPTIONS

DESIGN + ENGINEER + FABRICATE + INSTALL

TOP MOUNT	
STEEL	CONCRETE
WELD	ANCHOR
	CORE



Scan the QR code to check out the VISTA system in 3D on our website

FASCIA MOUNT	
STEEL	CONCRETE
WELD	ANCHOR

ECO VISTA™ RAILING SYSTEM - FINISHING OPTIONS





DESIGN + ENGINEER + FABRICATE + INSTALL

