


DESIGN + ENGINEER + FABRICATE + INSTALL

VIEW - AVAILABLE INFILLS

GLASS

Our VIEW is a Button Structural Glass Balustrade Railing System that provides the clearest view imaginable. This system consists of 1/2" (minimum) SGP laminated glass or 5/8" PVB laminated glass and fascia mounted with fixed point holders in stainless steel.



VIEW

PRODUCT DATA

DESIGN + ENGINEER + FABRICATE + INSTALL
**MATERIAL****FINISH****SIZE/SPACING****STANDOFF**

Stainless Steel (304 or 316)

Stainless Steel (201)

#6 Satin, #8 Mirror

ECM

Powder Coat

Ø2" Fascia mount, 4'-6" max.* Glass infill

* Max. spacing changes upon glass thickness

INFILL OPTIONS

Glass

Clear, Tinted or Frit

Min. 1/2" SGP laminated glass¹ or
Min. 5/8" PVB laminated glass**TOP RAIL**

Stainless Steel U-Cap

Stainless Steel U-Cap with LED³

Stainless Steel Tube with LED

#6 Satin, Powder Coat

#6 Satin

1" Height U-Cap

1" Height U-Cap with LED LINEAR

Ø1-1/2" tube with LED LINEAR

HAND RAIL

Stainless Steel Tube

Stainless Steel Tube with LED

Wood (Red Oak, Cherry or Maple)²

Wood (Red Oak, Cherry or Maple) with LED

#6 Satin, Powder Coat

#6 Satin

Unstained

Ø1-1/2" or Ø2" tube

Ø1-1/2" with LED LINEAR, Ø1-1/2" or Ø2" with LED POD

Ø2"

Ø2" with LED LINEAR







Intertek


¹ IBC 2015 & newer requires railing glass to be laminated. VIVA recommends SGP for exterior applications.

² All LED LINEAR products are ETL certified; ETL mark is proof of product compliance to North American safety standard.


³ Other species available upon request.



VIEW MOUNTING CONDITIONS


DESIGN + ENGINEER + FABRICATE + INSTALL

 Anchored to Concrete ¹ - \$\$\$ ²

Detail# VA-F01



Welded @ Embed Plate - \$\$

Detail# VA-F02



Welded @ Steel Tube - \$\$




Detail# VA-F03

(1) Min. 4000 PSI concrete, Typ.

(2) \$ to \$\$\$: Indicates mounting type comparative cost

VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS HAS NO WAY OF KNOWING AND SPECIFICALLY DISCLAIMS WHETHER OR NOT THE BUILDING SYSTEMS TO WHICH VIVA RAILINGS' PRODUCTS ARE TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE SOLE USE OF VIVA RAILINGS' CUSTOMER AND THEIR AGENTS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY CONTAINED WITHIN. REPRODUCTION AND USE OF THESE DESIGNS FOR ANY OTHER PURPOSE IS FORBIDDEN. SCALES ARE PROVIDED FOR REFERENCE ONLY. FOR PRODUCT INFORMATION AND TECHNICAL SUPPORT, PLEASE CONTACT VIVA RAILINGS.

VIEW ILLUMINATED RAILING OPTIONS


DESIGN + ENGINEER + FABRICATE + INSTALL


For more info: vivarailings.com/lighted-rail-systems

VIEW FINISHING OPTIONS

DESIGN + ENGINEER + FABRICATE + INSTALL

#6 SATIN - #8 MIRROR




#6 Satin is a silver-white finish with relatively short linear directional polishing lines. This finish is quite common with SS architectural applications. It is a two-step abrasive polish finish with the equivalent of a 240 grit abrasive.

#8 Mirror is the most reflective finish covered by ASTM Standards. Produced in a similar way as the #6 finish with further buffing. The grit lines are much less visible than the #6 finish but can be seen upon close inspection. The final product is a mirror-like finish.

***#8 Mirror Finish comes at an additional cost to our #6 Finish.**


ECM



ECM is a new finish offered by VIVA Railings and can be applied to nearly all of our modular railing systems. This method of electroplated coating offers an environmentally friendly process that includes an even better abrasion and weather resistance to our already durable stainless steel railing systems.

ECM offers a low maintenance, high durability and one of the best corrosion resistant materials available.

POWDER COAT



Powder coating is a dry film process, using finely ground particles of pigment and resin which are electrostatically charged and sprayed onto electrically grounded parts.

Designed to withstand extreme temperatures, powder-coating protects against rust and staining, making it a weather-resistant finish for our stainless steel and aluminum railings.

It helps in regards to LEED requirements and in addition, it meets AAMA specifications.

VIEW GLASS

DESIGN + ENGINEER + FABRICATE + INSTALL





VIEW STRUCTURAL GLASS SYSTEM | INFILL: GLASS

BANK OF THE OZARKS HEADQUARTERS - LITTLE ROCK, AR

General Contractor: Admiral Glass & Mirror

Architect: Polk Stanley Wilcox Architects



VIEW STRUCTURAL GLASS SYSTEM | INFILL: GLASS

UNIVERSITY OF TEXAS DALLAS - DALLAS, TX

General Contractor: The Beck Group

Architect: Smithgroup, Inc.

