



VISIOTM GLASS

DESIGN + ENGINEER + FABRICATE + INSTALL

VISIO - AVAILABLE INFILLS

GLASS

Our VISIO Structural Glass Point Supported Stainless Steel Railing System offers high quality reliability with artistic flair. This completely stainless steel system is available in high-grade SS-304 and SS-316L alloy. In addition, VISIO is available for Top and Fascia mount.



VISIO

PRODUCT DATA

DESIGN + ENGINEER + FABRICATE + INSTALL
**MATERIAL****FINISH****SIZE/SPACING****CLAMP**

Stainless Steel (304 or 316)

Stainless Steel (201)

#6 Satin, #8 Mirror

ECM

Powder Coat

Clamp @ 4'-0" max. O.C. Spacing for Glass Panels.

Fascia or Top mount.

INFILL OPTIONS

Glass

Clear, Tinted or Frit

 Min. 1/2" SGP laminated glass¹ or
 Min. 5/8" PVB laminated glass
TOP RAIL

Stainless Steel U-Cap

Stainless Steel U-Cap with LED ²

Stainless Steel Tube with LED

#6 Satin, Powder Coat

#6 Satin

1" Height U-Cap

1" Height U-Cap with LED LINEAR

Ø1-1/2" tube with LED LINEAR

HAND RAIL

Stainless Steel Tube

Stainless Steel Tube with LED

Wood (Red Oak, Cherry or Maple) ³

Wood (Red Oak, Cherry or Maple) with LED

#6 Satin, Powder Coat

#6 Satin

Unstained

Ø1-1/2" or Ø2" tube

Ø1-1/2" with LED LINEAR, Ø1-1/2" or Ø2" with LED POD






Ø2"

Ø2" with LED LINEAR


¹ IBC 2015 & newer requires railing glass to be laminated. VIVA recommends SGP for exterior applications.



² All LED LINEAR products are ETL certified; ETL mark is proof of product compliance to North American safety standard.

³ Other species available upon request.




3

VISIO MOUNTING CONDITION TOP MOUNTED POST

DESIGN + ENGINEER + FABRICATE + INSTALL
Anchored to Concrete ¹ - \$ ²Detail# ZA-T01 ³


Welded @ Steel Channel - \$

Detail# ZA-T03



Welded @ Embed Plate - \$

Detail# ZA-T04




Anchored to Concrete Slab on Deck - \$\$

Detail# ZA-T05

(1) Min. 4000 PSI concrete, Typ.


(2) \$ to \$\$\$: Indicates mounting type comparative cost

VISIO MOUNTING CONDITION FASCIA MOUNTED POST

DESIGN + ENGINEER + FABRICATE + INSTALL


Welded @ Embed Plate - \$\$

Detail# ZA-F02






Welded @ Steel Tube - \$\$

Detail# ZA-F04

(1) Min. 4000 PSI concrete, Typ.

VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS HAS NO WAY OF KNOWING AND SPECIFICALLY DISCLAIMS WHETHER OR NOT THE BUILDING SYSTEMS TO WHICH VIVA RAILINGS' PRODUCTS ARE TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE SOLE USE OF VIVA RAILINGS' CUSTOMER AND THEIR AGENTS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY CONTAINED WITHIN. REPRODUCTION AND USE OF THESE DESIGNS FOR ANY OTHER PURPOSE IS FORBIDDEN. SCALES ARE PROVIDED FOR REFERENCE ONLY. FOR PRODUCT INFORMATION AND TECHNICAL SUPPORT, PLEASE CONTACT VIVA RAILINGS.

VISIO ILLUMINATED RAILING OPTIONS

DESIGN + ENGINEER + FABRICATE + INSTALL



For more info: vivarailings.com/lighted-rail-systems

VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS HAS NO WAY OF KNOWING AND SPECIFICALLY DISCLAIMS WHETHER OR NOT THE BUILDING SYSTEMS TO WHICH VIVA RAILINGS' PRODUCTS ARE TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE SOLE USE OF VIVA RAILINGS' CUSTOMER AND THEIR AGENTS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY CONTAINED WITHIN. REPRODUCTION AND USE OF THESE DESIGNS FOR ANY OTHER PURPOSE IS FORBIDDEN. SCALES ARE PROVIDED FOR REFERENCE ONLY. FOR PRODUCT INFORMATION AND TECHNICAL SUPPORT, PLEASE CONTACT VIVA RAILINGS.

VISIO FINISHING OPTIONS

DESIGN + ENGINEER + FABRICATE + INSTALL

#6 SATIN - #8 MIRROR




#6 Satin is a silver-white finish with relatively short linear directional polishing lines. This finish is quite common with SS architectural applications. It is a two-step abrasive polish finish with the equivalent of a 240 grit abrasive.

#8 Mirror is the most reflective finish covered by ASTM Standards. Produced in a similar way as the #6 finish with further buffing. The grit lines are much less visible than the #6 finish but can be seen upon close inspection. The final product is a mirror-like finish.

***#8 Mirror Finish comes at an additional cost to our #6 Finish.**

ECM



ECM is a new finish offered by VIVA Railings and can be applied to nearly all of our modular railing systems. This method of electroplated coating offers an environmentally friendly process that includes an even better abrasion and weather resistance to our already durable stainless steel railing systems.

ECM offers a low maintenance, high durability and one of the best corrosion resistant materials available.

POWDER COAT




Powder coating is a dry film process, using finely ground particles of pigment and resin which are electrostatically charged and sprayed onto electrically grounded parts. Designed to withstand extreme temperatures, powder-coating protects against rust and staining, making it a weather-resistant finish for our stainless steel and aluminum railings.

It helps in regards to LEED requirements and in addition, it meets AAMA specifications.

VISIO GLASS

DESIGN + ENGINEER + FABRICATE + INSTALL



VISIO GLASS

DESIGN + ENGINEER + FABRICATE + INSTALL



STRUCTURAL GLASS RAILING SYSTEM

VISIO




DESIGN + ENGINEER + FABRICATE + INSTALL

VISIO STRUCTURAL GLASS RAILING SYSTEM | INFILL: GLASS

MANOR ISD NEW TECH MIDDLE SCHOOL - MANOR, TX

General Contractor: Joeris General Contractors

Architect: Stantec Corporation




VISIO

VISIO STRUCTURAL GLASS RAILING SYSTEM | INFILL: GLASS

PC 22 MATTE BLACK FINISH

PRIVATE RESIDENCE - COPPELL, TX



VISIO STRUCTURAL GLASS RAILING SYSTEM | INFILL: GLASS

GENERAL CONTRACTOR: Balfour Beatty

ARCHITECT: Stantec - Plano, TX

